

EASI – Electronic Autonomous Sampling Installation

Type 6970-31



For more economy and objectivity. A safe investment in the future!

The new sampler controller EASI from BARTEC BENKE is designed to deliver reliable sampling wherever it is needed. The prevention of crossover in easiest compact form is one of the aspects that make the EASI unique in the world. The simple handling and the capability to integrate it in short time in nearly every intake situation make it so valuable. The EASI system is meant to be the first step on the road to sample perfection. That is why it is fully upgradable within the ULTRASAMPLER product family.


How it works?

Arriving at the supplier, the operator enters the expected volume using the rotary selection switch. The volume appears on the display. After pressing start, the EASI system fills a sample during the intake. A status LED shows whether the system is in sampling operation.

Main advantages:

- EASY OPERATION, HANDLING AND RETROFIT
- STANDALONE OR INTEGRATED
- FULL UPGRADE POSSIBILITY TO BARTEC MAK PRODUCT PORTFOLIO
- PREVENTION OF CROSSOVER (REFERRING TO DIN11868)
- SMALLEST BYPASS VOLUME – BETTER REPRESENTATIVITY
- NO TIME LOSS: SAMPLE IS FILLED DURING PUMP PROCESS
- COMPACT DESIGN

*EASI, select the expected volume and press start.
That is all it takes for a reliable Sample.*



BARTEC BENKE GmbH

Schulstraße 30
94239 Gotteszell
Germany

Tel.: +49 9929 3010
food@bartec.com

bartec.com